

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.



**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁵ : A61K 7/48, 7/075, 7/50 A61K 7/00	A1	(11) International Publication Number: WO 91/18588 (43) International Publication Date: 12 December 1991 (12.12.91)
(21) International Application Number: PCT/FI91/00176 (22) International Filing Date: 5 June 1991 (05.06.91) (30) Priority data: 533,684 5 June 1990 (05.06.90) US (71) Applicant: CULTOR LTD. [FI/FI]; P.O. Box 105, Kyllikinportti 2, SF-00241 Helsinki (FI). (72) Inventor: JUTILA, Kirsti, Maarit ; Rantapolku 2 B 10, SF-02170 Espoo (FI). (74) Agent: RINKINEN, Raili; Cultor Ltd., P.O. Box 105, Kyllikinportti 2, SF-00241 Helsinki (FI).		(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE, DE (European patent), DK (European patent), ES (European patent), FR (European patent), GB, GB (European patent), GR (European patent), IT (European patent), LU (European patent), NL (European patent), SE (European patent). Published <i>With international search report.</i> 
(54) Title: A METHOD OF REDUCING THE IRRITATING PROPERTIES OF A COSMETIC COMPOSITION (57) Abstract A method for substantially reducing skin irritation and improving moisturizing properties of cosmetics by incorporating a trimethylglycine compound in an effective amount, and cosmetic products produced thereby are disclosed. 		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	ES	Spain	MG	Madagascar
AU	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	IT	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SN	Senegal
CI	Côte d'Ivoire	LI	Liechtenstein	SU	Soviet Union
CM	Cameroon	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	LU	Luxembourg	TC	Togo
DE	Germany	MC	Monaco	US	United States of America
DK	Denmark				

A METHOD OF REDUCING THE IRRITATING
PROPERTIES OF A COSMETIC COMPOSITION

BACKGROUND OF THE INVENTION

5

There is an increasing demand for better and more efficient raw materials for cosmetics and related products. Even the most efficient raw materials can be very irritating or sensitizing for human skin, thus preventing their regular use.

Some of the active compounds in creams, decorative cosmetics, etc., may cause irritation or skin-sensitization. Such active ingredients may include emollients, barrier agents, healing agents, humectants, emulsifiers, preservatives, perfume oils, coloring agents, and/or surfactants, particularly anionic surfactants (e.g., sodium lauryl ether sulphates), and several compounds for skin cleansing (which contain kerosenes, solvents and disinfectants in addition to hard surfactants). Other cosmetics such as deodorants containing ethanol are recognized as having potentially irritating or sensitizing properties. In addition, this problem is often found with many other medicated products.

Cationic compounds such as cetyltrimethylammonium chloride, alkyldimethylbenzylammonium, alkylisoquinidinium, and alkylpyridinium halides are commonly used as hair conditioners. In small amounts, these quaternary ammonium derivatives improve hair manageability.

One drawback of including quaternary ammonium compounds in cosmetics such as shampoos, hair conditioners, creams, lotions, etc. is the fact that great care must be taken when introducing them into commercial products, as most of these materials are known to be skin irritants. More particularly, it is known from the literature that the quaternary compounds of synthetic

origin, particularly at higher concentrations (over 10 percent), cause skin irritation and cauterization.

This problem is overcome in hair conditioners and hair rinses because these preparations are diluted
5 about 15 times with water to form the actual rinse used on the hair. Thus, in general, it has been found that when quaternary compounds are present in concentrations upon dilution with water of 0.1 percent, they are usually still safe and effective on the hair shaft.

10 Certain other cationic compounds introduced into conditioners have been touted as having a lower level of irritancy than earlier compounds. Examples of such include ethoxylated quaternary ammonium phosphates, quaternized fatty acid amino-amides derived from lanolic
15 acids and mink oil, and N-acyl colaminoformylmethylpyridinium derivatives.

Quaternary ammonium salts have also previously been used at concentrations below 0.1 percent as anti-septics in preparations such as aftershave lotions and
20 baby lotions and creams.

One hair treatment composition, described in U.S. Patent No. 4,752,467 (Konrad et al.), contains 0.1-25 percent by weight betaine and 0.1-10 percent by weight of an aliphatic organic acid such as citric acid.
25 The combination of the betaine/aliphatic organic acid is said to provide synergistic conditioning properties which improve the condition of the hair structure, and act as an antioxidant and as a buffer.

30 DE-Patent No. 1911144 (Medisan Ab) describes a skin-treating composition for treating abnormal skin conditions or as a vehicle for other medicaments, comprising an aqueous phase in which urea and lactic acid are dissolved. The mode of operation of this composition
35 relates to the skin-softening properties of urea and the keratolytic effect of lactic acid. Optional components

of this composition include emulsifiers and amino acid derivatives such as betaine.

Other cosmetic formulations also include betaine. Betaine is a general name for an organic tertiary amine with three free organic radicals. Known formulations include betaines in which at least one of the free radicals is a long fatty acid derivative based radical. U.S. Patent No. 4,490,355 (Desai) describes a mixture of cocoamidopropyl betaine and oleamidopropyl betaine which when included in cosmetics is said to improve thickening and foam boosting properties. U.S. Patent No. 4,654,161 (Kollmeier et al.) describes the use of organopolysiloxanes that have betaine groups in hair cosmetics. The use of these siloxane derivatives is said to provide improved compatibility with anionic additives (surfactants) and less irritation than prior organopolysiloxanes with quaternary ammonium groups. EP-Patent No. 286261 (Redken Laboratories) describes the use of zwitterions such as taurines and betaines to increase the substantivity of hydrolysed proteins in keratinous tissues.

It is an object of the present invention to provide a method of reducing the skin irritating properties of a cosmetic composition containing substantially no hydrolysed protein.

It is another object of this invention to provide a cosmetic composition which has improved skin compatibility and moisturizing properties.

30

SUMMARY OF THE INVENTION

It has now been surprisingly discovered that adding an effective amount of a quaternary ammonium like compound which does not have any skin irritating properties to cosmetic compositions reduces the skin irritating properties of skin irritating cosmetics and improves their skin compatibility and moisturizing properties. The present invention also relates to the method of

reducing the skin irritating properties of a cosmetic composition.

The quaternary ammonium compound, preferably obtained from natural sources, is methanaminium, 1-carboxy-N,N,N-trimethyl-,hydroxide inner salt monohydrate or the corresponding anhydride thereof (also referred to as trimethylglycine or trimethylglycine anhydride respectively).


The present invention also relates to a cosmetic composition comprising one or more cosmetic ingredients selected from the group consisting of an active agent, an emollient, a barrier agent, a healing agent, a humectant, an emulsifier, a preservative, a perfume oil, a coloring agent, a deodorizing agent, a surfactant, a solvent and mixtures of the above and one or more of the cosmetic ingredient having irritating properties when applied to human skin, and trimethylglycine or anhydride in an amount effective to substantially neutralize the skin-irritating properties of the cosmetic ingredient.

The dosage of trimethylglycine (or its anhydride) is from about 0.1 to about 50, preferably 1 - 15, percent by weight.

The cosmetic compositions of the present invention include skin cleansers, body shampoos, hair conditioners, skin creams or lotions, deodorants, etc.

DETAILED DESCRIPTION

The addition of trimethylglycine, a natural quaternary ammonium like compound methanaminium, 1-carboxy-N,N,N-trimethyl-,hydroxide inner salt monohydrate or the corresponding anhydride (trimethylglycine/ah)



has now surprisingly been found to reduce the skin irritation properties or sensitisation reactions of cosmetic compounds including irritating ingredients such as sodium lauryl ether sulphate, and other anionic surfactants, cetyltrimethylammonium chloride, alkyl-dimethylbenzylammonium, and alkylisoquinidinium, alkylpyridinium halides, solvents etc. Trimethylglycine (or anhydride thereof) in question has been found to improve the skin compatibility and moisturizing characteristics of cosmetic compositions. Problems mentioned above are often found in products containing irritants, including skin and hand cleaners, skin lotions, skin creams, as well as medicated products. The dosage of methanaminium, 1-carboxy-N,N,N-trimethyl-, hydroxide, inner salt monohydrate or corresponding anhydride is between 0,1 and 50%, preferably 1 - 15 w/w.

The invention is further elucidated by the following examples, which are not meant to limit the claims.

20

Examples 1-16

The effect of methanaminium, 1-carboxy-N,N,N-trimethyl-,hydroxide, inner salt monohydrate on skin compatibility and irritation were tested by human patch testing.

The patch testing was conducted as follows. In each of these Examples, the test materials were applied on the upper outer arm and the application arm was occluded with a patch for an initial contact period of 24 hours. The patches were then removed and the skin reaction was assessed using a numerical scoring system one hour later.

In order to assess the degree of irritancy, several signs symptomatic of skin irritation and their severity were noted using the scoring system below:

	0	=	
	1	=	no visible relevant reaction
	2	=	reaction just present
	3	=	slight reaction
5	4	=	moderate reaction
	5	=	severe reaction
	6		

The signs of irritation were awarded different ratings of significance as follows:

	<u>SIGN</u>	<u>ABBREVIATION</u>	<u>RATING</u>
10	Vesicles	V	5
	Odema	Oe	4
	Erythema	R	3
	Flakiness	F	2
	Dryness	D	1
	Wrinkling	W	1
15	Glazing	G	1

In order to obtain a numerical value for the total reaction at each site the severity score for each sign was multiplied by the rating. The resulting values were summed to give a total score for the degree of irritation at that site.

For example, the total score for a site assessed as R3, D2 and G1 would be:

$$(3 \times 3) + (2 \times 1) + (1 \times 1) = 12$$

The skin irritation scores for the test and control products were compared statistically using the binomial probability test.

Immediately after assessment an identical fresh patch was applied to the same skin site for a further 24 hours (for a total of 48 hours) and skin reactions were again examined one hour after removal. The materials tested and the mean skin irritation scores after 24 hours and after 48 hours were as follows:

<u>Example</u>	<u>Material Tested</u>	<u>Skin Irritation</u>	
		<u>24 hr.</u>	<u>48 hr.</u>
1	Deionized water (control)	1.28	0.96
2	Trimethylglycine 50% w/v	0.44	0.32
5	in deionized water		
3	sodium lauryl ether sulphate (SLES) 10.3%	1.76	4.28
4	SLES 10.3% + trimethylglycine 7%	0.56	0.80
5	SLES 10.3% + trimethylglycine 5%	0.72	1.92
6	SLES 10.3% + trimethylglycine 3.5%	0.76	2.40
10	7 SLES 10.3% + trimethylglycine 2%	1.12	2.92
8	SLES 5.15% + trimethylglycine 3.5%	0.88	2.88
9	Deodorant (Control)	0.96	--
10	Deodorant + 5% trimethylglycine	0.65	--
11	Medical cleaner	1.50	2.12
15	12 Medical cleaner + 5% trimethylglycine	1.27	1.50
13	Eau de cologne	--	--
14	Eau de cologne + 5% trimethylglycine	--	--
15	After Shave Lotion (Control)	1.46	--
16	After Shave Lotion + 5% trimethylglycine	0.85	--

20

It can be seen from the foregoing numerical results that trimethylglycine significantly reduced the irritancy of the sample to the skin. Where a "--" is indicated in the chart above numerical results were not obtained.

25

Example 17Transepidermal Water Loss (TEWL)

Irritants have much stronger effect on dry skin; thus ingredients of cosmetic compounds should not cause any increasing normal TEWL.

The effect of methanaminium, 1-carboxy-N,N,N-trimethyl-,hydroxide inner salt monohydrate on moisturizing and skin smoothness was tested by the transepidermal water loss from skin (TEWL).

35

In example 17 a leading marketed skin cream was applied under an occlusive patch.

Skin Care Cream (commercially marketed)

5	<u>Ingredients</u>	
	Glycerol monostearate	2.5
	Cetyl stearyl ethoxylate	5.0
	Emulsifier (Stearic acid)	2.0
	White oil	25.0
10	Glycerol	10.0
	Triethanolamine	0.8
	Water	Balance

15 The same cream containing 50% w/w trimethylglycine was applied under an occlusive patch at a different skin site. As a control, blank occlusive patches were also applied to a third skin site. The transepidermal water loss from skin (TEWL) was measured.

20 The test subjects were twelve female volunteers between 18 and 65 years of age. Panelists were selected on the + criteria that they had normal healthy skin on their forearms and were able to provide stable TEWL values.

25 Three sites were marked on the volar forearm of each volunteer at approximately equal intervals between the elbow crease and the wrist. The subject was then seated comfortably with her forearms exposed for a period of half an hour so that they would equilibrate with conditions of temperature and relative humidity in the laboratory.

30 TEWL readings were taken from each skin site to provide normal untreated water loss levels. Treatment was made via 12 mm occlusive Finn chambers. A blank Finn chamber served as the control site. The lotion samples were applied by immersing Whatman 3MM filter paper discs in the sample, removing excess product against the edge

of the container and placing the disc in the Finn chamber using forceps. Each chamber was applied to one of the marked sites on the forearm and held in position with Scanpor non-occlusive surgical tape. The pattern of application of treatments to sites was randomized and recorded.

18 to 24 hours later each subject returned and was re-equilibrated as above. The chambers were then removed and the skin was blotted with tissue to absorb surface moisture. TEWL readings were recorded at 1 minute intervals from the time of removal of treatment until a steady value was obtained, a period of ten to twenty-five minutes depending on the individual concerned and the treatment applied.

Temperature and relative humidity were recorded at the start of each TEWL reading as gross changes can significantly alter the rate of water loss. The results for each panelist are presented graphically below. An analysis of the results revealed the following:

1) The 1 minute TEWL reading immediately after patch removal is lower for the cream containing trimethylglycine than for the cream alone indicating that the trimethylglycine-treated sites lost water less rapidly. The blank patch control is lower still and represents the skin hydrating effect of occlusion, without adding additional moisture to the skin.

2) The final TEWL value obtained when readings approach a constant value is lower for the cream containing trimethylglycine than for the cream alone, and frequently also the blank control, again indicating better moisture retention at trimethylglycine-treated skin sites.

3) The rate at which the TEWL value decreases towards the normal untreated level is in general more rapid for the cream containing trimethylglycine than for the cream alone or the blank control.

These results are summarized in the table below:

10

Panel No.	Initial TEWL level (g/m ² h)			Final TEWL level (g/m ² h)			Time for 75 % reduction in TEWL rate (min)		
	Blank	Cream	Cream +TMG	Blank	Cream	Cream +TMG	Blank	Cream	Cream +TMG
1	*	58	40	7	8	5	*	7	5
2	36	50	48	10	12	8	Not reached	14	7
3	34	41	54	8	9	7	16	12	6
4	20	41	*	7	12	8	Not reached	Not reached	*
5	30	63	39	8	18	8	reached	reached	
6	17	61	53	9	20	8	Not reached	reached	13
7	17	78	45	7	22	3	reached	reached	
8	26	71	65	11	26	11	Not reached	Not reached	7
9	25	74	63	6	19	8	reached	reached	
10	18	i	34	7	i	6	11	Not reached	7
11	23	53	53	10	17	9	reached	reached	
12	26	54	30	6	13	4	Not reached	Not reached	8
							reached	reached	
							17	18	7

30

The "*" indicates that the evapormeter probe shifted over in the early part of curve so readings were not valid.

35 The "i" indicates that the patch came loose over the application period.

It can be seen that under these test conditions there were clear indications that the addition of trimethylglycine to the skin cream resulted in improved moisture retention when the product was applied to the skin.

5

Example 18

Example 18 provides illustrative formulations including ingredient with irritating properties for a skin cream, body shampoo and skin cleanser in accordance with the invention.

10

Skin cream

	<u>Ingredient</u>	<u>Amount (%)</u>
	Trioleyl phosphate	3.0
15	Petrolatum	18.0
	Glyceryl stearate	5.0
	Isopropyl palmitate	4.0
	Cetyl alcohol	2.0
	Stearyl heptanoate (irr.)	0.5
20	Cetearyl octanoate (irr.)	0.5
	Sorbitol	5.0
	Trimethylglycine	5.0
	Water, perfume, preservative (irr.)	q.s.

25 Shampoo

	<u>Ingredient</u>	<u>Amount (%)</u>
	Sodium lauryl ether sulphate 30% (irr.)	40.0
	Coconut monoethanolamide	2.0
	Trimethylglycine	5.0
30	Perfume, colour, water	q.s.
	HCl/NaOH	q.s. to pH
		6.5-7.2

Sodium lauryl ether sulphate is known to have a hard
35 cleansing effect; thus because of the side effect (e.g.
too effective fat removal from the skin and hair) it

cannot be used as such in shampoos. The addition of trimethylglycine remarkably reduces the irritation effect.

Skin cleanser for oily skin

5	<u>Ingredient</u>	<u>Amount (%)</u>
	Triclosan (deodorising agent; irr.)	3.0
	Menthol (irr.)	10.0
	DEA-oleth-3 phosphate	2.5
	Hydroxypropylcellulose	2.5
10	Amphoteric-1	5.0
	Trimethylglycine	5.0
	Water	37.0
	Ethanol(96%)	35.0

15 Trimethyl glycine reduces the irritating properties of irritants.

Example 19 - Smoothness Test

Body Lotion With Improved Skin Compatibility

20	<u>Ingredient</u>	<u>Amount (%)</u>
	Emulsifier	2.0
	Cetylalcohol (irr.)	2.5
	Isopropylstearate	4.5
	Preservative (potential irr.)	0.03
25	Water	78.77
	1,2-Propyleneglycol	6.0
	Trimethylglycine	0 or 6.0
	Parfum oil	0.2

30 The effect of methanaminium, 1-carboxy-N,N,N-trimethyl-,hydroxide inner salt monohydrate on skin tested by the Zeiss-spektrophotometer. This formula was tested by using ten female volunteers. The body lotion was used for 8 days. The smoothness of the skin was measured by a Zeiss-sp ktrophotometer by 660 nm. The results show that the addition of trimethylglycine moderately improves the smoothness of the skin.

Smoothness of skin was calculated by the following equation:

$$= \frac{\text{extinction after treatment}}{\text{initial extinction}} \times 100$$

5 Results for the ten subjects are reported below:

Age of the volunteer		0%	6% Trimethylglycine
10	43	99.8	91.8
	44	99.3	89.4
	51	75.9	59.4
	50	98.6	79.3
	70	97.5	89.4
15	47	98.3	91.9
	34	100.3	97.1
	64	75.4	97.8
	30	100.0	97.4
	51	95.3	96.5
20	Average	94.0	89.0

Example 20 - Moisture Holding Capacity Using Corneometer

25 The same body lotion formula used in Example 19 was used in tests where the moisturizing effect of trimethylglycine was measured by a Corneometer. The moisture holding capacity in the skin was increased when the trimethylglycine level in the product increased from 0% to 2% to 6%.

30 The same group of test persons and model products were used as in Example 19. Medial part of skin of arms were used (5 x 2.5 cm²). Different test areas for different model products were used. The instrument used for measurement of the lotions, skin moisturizing effect was a Corneometer Combi (Courage & Khazaka Electronic GmbH, 35 FRG). The subjects were acclimatized in a controlled

14

atmosphere (vH 60 %, T° 24°C) for 30 minutes before
0-values of different skin areas were measured. Body
lotions were used twice daily (12 hr. intervals).
Duration of the trials was 8 days.

5 The following are hydration measurements made by
the Corneometer Combi:

Product	Measurement								
		after	Minutes						
		Appl.	10	20	30	40	60	90	120
Control	107.8	106.3	106.8	107.8	107.7	108.7	107.6	108.2	107.8
0 %	104.5	155.8	118.5	118.4	116.1	115.7	113.2	112.6	111.8
2 %	104.0	152.9	120.0	119.2	115.9	117.1	113.8	113.8	112.8
15 6 %	103.6	150.4	122.1	118.7	116.1	117.6	116.1	116.3	114.9
trimethyl- glycine									

20


25

30

35

PATENT CLAIMS:

1. A method of reducing the skin irritating properties of a cosmetic composition containing substantially no hydrolyzed protein, characterized by the methanaminium, 1-carboxy-N,N,N-trimethyl-, hydroxide, inner salt monohydrate having the chemical structure:




or an anhydride thereof is incorporated into the cosmetic composition in an amount effective to neutralize the skin-irritating properties of the cosmetic composition.

2. The method according to claim 1 characterized by that the methanaminium, 1-carboxy-N,N,N-trimethyl-, hydroxide, inner salt is added in concentration of 0,1 - 50%, preferably 0,1 - 15%, percent by weight.

3. A cosmetic composition having improved skin compatibility and moisturizing properties containing substantially no hydrolysed protein and characterized by that it comprises a compound having irritating or sensitizing properties when applied to human skin,

an effective amount of a quaternary ammonium like compound, methanaminium, 1-carboxy-N,N,N-trimethyl-, hydroxide, inner salt monohydrate having the chemical structure:

16



5 or anhydride thereof.

4. The cosmetic composition of claim 3 or 4 characterized by that it is a skin cleanser, a skin cream, or body shampoo.

5. The cosmetic composition of claim 3 or 4 characterized by that the said compound is a

10 deodorant.
The cosmetic composition of claim 3, wherein the concentration of methanaminium, 1-carboxy-N,N,N-trimethyl-, hydroxide, inner salt monohydrate is from 0.1 to 50, preferably from about 0.1 to 15 percent by weight.

15 The cosmetic composition of claim 3 or 4 characterized by that it is a cream, ointment, emulsion, or an aerosol.

20 6. A topical preparation according to claim 3 and having improved skin compatibility and moisturizing properties characterized by that it comprises:

25 (a) one or more cosmetic ingredients selected from the group consisting of an active agent, an emollient, a barrier agent, a healing agent, a humectant, an emulsifier, a preservative, a perfume oil, a coloring agent, a deodorising agent, a surfactant, a solvent and mixtures of the above; and

30 (b) one or more cosmetic ingredients [may be included in group (a) and] having irritating properties when applied to human skin; and

(c) trimethylglycine or anhydride thereof in an amount effective to neutralize the skin-irritating effects of said cosmetic ingredient.

INTERNATIONAL SEARCH REPORT

International Application No PCT/FI 91/00176

I. CLASSIFICATION OF SUBJECT MATTER (if several classification symbols apply, indicate all)⁶
According to International Patent Classification (IPC) or to both National Classification and IPC

IPC5: A 61 K 7/48, 7/075, 7/50, 7/00

II. FIELDS SEARCHED

Classification System

Minimum Documentation Searched⁷

Classification Symbols

IPC5

A 61 K

Documentation Searched other than Minimum Documentation
to the Extent that such Documents are Included in Fields Searched⁸

SE,DK,FI,NO classes as above

III. DOCUMENTS CONSIDERED TO BE RELEVANT⁹

Category [*]	Citation of Document, ¹¹ with indication, where appropriate, of the relevant passages ¹²	Relevant to Claim No. ¹³
X	WO, A1, 8202337 (WELLA AKTIENGESSELLSCHAFT) 22 July 1982, see the whole document --	1-6
X	DE, A1, 3527974 (WELLA AG) 12 February 1987, see the whole document --	1-6
X	DE, A, 1911144 (MEDISAN AB) 17 September 1970, see the whole document --	1-6
X	Patent Abstracts of Japan, Vol 7, No 191, C182, abstract of JP 58- 92607, publ 1983-06-02 --	1-6
X	FR, A, 2303536 (RHONE-POULENC INDUSTRIES) 8 October 1976, see the whole document --	1-6

^{*} Special categories of cited documents: ¹⁰

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance, the claimed invention cannot be considered novel or cannot be considered to involve an inventive step

"Y" document of particular relevance, the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

IV. CERTIFICATION

Date of the Actual Completion of the International Search

12th September 1991

Date of Mailing of this International Search Report

1991 -09- 16

International Searching Authority

Signature of Authorized Officer

Elisabeth Carlborg

SWEDISH PATENT OFFICE

Form PCT/ISA/210 (second sheet) (January 1985)

III. DOCUMENTS CONSIDERED TO BE RELEVANT

(CONTINUED FROM THE SECOND SHEET)

Category	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
X	EP, A2, 0186453 (WARNER-LAMBERT COMPANY) 2 July 1986, see the whole document --	1-6
X	EP, A2, 0047916 (TH. GOLDSCHMIDT AG) 24 March 1982, see the whole document --	1-6
X	DE, A1, 2750731 (REWO CHEMISCHE WERKE GMBH) 17 May 1979, see the whole document -- -----	1-6

ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO. PCT/FI 91/00176

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the Swedish Patent Office EDP file on 91-07-31. The Swedish Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO-A1- 8202337	82-07-22	AT-E- 10063 AU-B- 550795 AU-D- 8001582 DE-A-C- 3101011 EP-A-B- 0056595 US-A- 4752467	84-11-15 86-04-10 82-08-02 82-07-22 82-07-28 88-06-21
DE-A1- 3527974	87-02-12	NONE	
DE-A- 1911144	70-09-17	AT-A- 294319 AT-A-B- 306928 BE-A- 729465 CH-A- 513648 CH-A- 576789 FR-A- 2003312 GB-A- 1232569 LU-A- 58143 NL-A- 6903383 US-A- 3666863	71-10-15 73-03-15 69-08-18 71-10-15 76-06-30 69-11-07 71-05-19 69-07-07 69-09-09 72-05-30
FR-A- 2303536	76-10-08	BE-A- 839402 CH-A- 594604 DE-A- 2610225 GB-A- 1479132 JP-A- 51113829 LU-A- 74518 NL-A- 7602210 US-A- 4058597	76-09-10 78-01-13 76-09-23 77-07-06 76-10-07 77-01-11 76-09-14 77-11-15
EP-A2- 0186453	86-07-02	AU-D- 5078885 JP-A- 61171800 US-A- 4780249	86-06-26 86-08-02 88-10-25
EP-A2- 0047916	82-03-24	DE-A-C- 3033929 US-A- 4420410	82-03-18 83-12-13
DE-A1- 2750731	79-05-17	GB-A-B- 2010832 US-A- 4221733	79-07-04 80-09-09